





# FULL FAT



## UNSTOPPABLE-UNCOMPROMISING-UNREAL

### THE ULTIMATE, GO ANYWHERE FULL FAT

Explore even more horizons. We have created the Ultimate go anywhere Full Fat model: rear suspension, a powerful Shimano STEPS E8000 electric 250w motor system, 504wh battery married to a 14 speed Rohloff hub gear and disc brakes. Build your dream Full Fat trike on our website.

**SHIMANO**  
**STEPS**



### OPTIONS AVAILABLE





AN EXPEDITION-TOUGH TRIKE, ORIGINALLY DESIGNED FOR ANTARCTIC WORLD RECORD SETTING. THE ICE FULL FAT COMBINES A STRONG AND RELIABLE BUILD WITH SPECIALIST FEATURES FOR RIDING OVER CHALLENGING TERRAIN OR TO THE SOUTH POLE

The ICE Full Fat is built on an optimised ICE frame featuring Compact Flat Twist Fold, No Brake Steer, Rider Positioning System, and wide range gearing.

In 2013 Maria Leijerstam became the first person in the world to cycle to the South Pole on the Polar Cycle. She set the coast to pole human powered speed record of 10 days 14 hours. This world record still stands today. Traveling over 630km, cycling for up 17hrs a day in -29°C temperatures.



OVERSIZED TYRES

Large volume, low pressure tyres give excellent float and traction over soft ground and bumpy trails.

WIDE RANGE GEARS

Available with a variety of gear options, the Full Fat can be geared for even the most challenging terrain.

SECURE INDEXED HANDLEBAR CLAMPS AND EASY ACCESS SWEEP CRUCIFORM

The handlebar clamping system with super secure indexed clamps, ensures the handlebars easily remain fixed in position at all times. The Full Fat features our easy access swept cruciform, creating improved heel clearance, making it easier to get on and off the trike.

E-ASSIST SHIMANO STEPS MOTORS

Add a powerful Shimano STEPs E-assist motor system to a Full Fat trike. Both the E6100 and E8000 STEPs systems can be fitted.

GROUND CLEARANCE

A high cruciform and three 26" wheels gives excellent clearance over rugged trails.

REAR SUSPENSION

Very effective, lightweight rear suspension is fitted as standard to give a comfortable ride.

C.F.T. FOLD

Built with the ICE Compact Flat Twist frame, allowing the trike to fold quickly and easily.

ADAPTABLE

Mounting points make it easy to fit custom ICE racks and a wide range of bags and accessories.

WIDTH	38.8" (985mm)
LENGTH	76" - 84.6" (1930mm - 2150mm)
WEIGHT FROM	49.2lb (22.3kg)
SEAT HEIGHT	16.5" (420mm)
SEAT ANGLE	38 - 51 degrees
RIDER WEIGHT LIMIT	275lbs (125kg)





# 10 YEAR WARRANTY\*

## ON ALL NEW ICE TRIKES, ACTIVATE YOURS NOW!

For total peace of mind, activate your warranty to enjoy full 10 year coverage on all ICE proprietary parts. The warranty is available to the original trike owner for 10 years from the date of purchase, when the trike is registered within 30 days. It guarantees that the frame, seat, and steering components are free from material and manufacturing defects.

\*For more details and how to activate your 10 year warranty visit our website:

[www.icetrikes.co/warranty](http://www.icetrikes.co/warranty)

# KEEP IN TOUCH

The best way to appreciate an ICE trike is to get on one and ride! Contact your local dealer to arrange a test ride.

Visit: [www.icetrikes.co/dealers](http://www.icetrikes.co/dealers) to find your local dealer

Find us at: [www.icetrikes.co](http://www.icetrikes.co)  
Contact us by email: [info@icetrikes.co](mailto:info@icetrikes.co)  
For general info and sales contact our UK office  
(9:30 to 17:30) +44(0)1326 378848

Inspired Cycle Engineering Ltd  
Unit 15 Tregoniggle Industrial Estate  
Falmouth, Cornwall TR11 4SN

Social media: [@icetrikes](https://twitter.com/icetrikes)



Brochure Issue 2-20. All photos, illustrations, colours, weights, and specifications contained in this catalogue are based on the latest production information at the time of publication. ICE reserves the right to make changes at any time, without notice, in colours, materials, equipment, specifications, and models. Any variations in colours shown may be due to the reproductive variations of the printing process. Some models may be shown with optional equipment. Please check model availability and full specification with your dealer prior to ordering.

## QUALITY AS STANDARD



ISO 9001 Certified



Shimano STEPs Certified



Cytech Accredited Technicians

