


Installation guide

MERCURY

Code: IS-IN-302





Part's number	Name of part	Quantity
1	Bar L=1771	1
2	Post	4
3	Grille HDPE #15 green	2
4	inclusive seat	1
5	Profile cap 70x70	4

List of fasteners

Name of part	Quantity
Screw M12x110 ISO 7380	8
Washer M12 DIN 125	16
M12 nut DIN 1587	8
Screw M8x65 DIN 931	2
Washer M8 DIN 9021	8
M8 nut DIN 985	2
Masking plug Ø8-10 black	4
Cover cap for masking plug Ø8-10 black	4
Loctite glue	1
Ball bearing 628 2RS 8x24x8mm	4

Installation Notes

Assembly sequence:

- 1) Making mounting holes.
- 2) Assembling the crossbars to the legs.
- 3) Embedding the elements in the mounting holes.
- 4) Concreting.
- 5) Seat assembly.


During assembly, pay special attention to: correct positioning of the posts, tightening all screws and fasteners, securing and marking the assembly site. After completing the assembly works check the stability of all elements, remove the tapes and check the level and condition of the fall-absorbing surfaces.

Product installation, maintenance and component replacement play area poses a risk to playing children and is therefore necessary appropriate marking and protection of the assembly site. The security must ensure that there is no access to the area where the work is carried out until the work has been accepted by an authorised person. The main threats are machines and electrical equipment, deep foundation holes and incomplete play sets.


During installation, it is required to provide adequate mounting space surface of the device's safety zone.

Secure all screw connections with Loctite.


Marking of the safety zone




Marking of foundation depth



Marking of installation hole (foundation blocks)




End leg assembly (x2)



Part's number	Name of part	Quantity
1	Screw M12x110 ISO 7380	4
2	Washer M12 DIN 125	8
3	M12 nut DIN 1587	4

Sling installation (x2)



Part's number	Name of part	Quantity
1	Screw M8x65 DIN 931	1
2	Washer M8 DIN 9021	4
3	M8 nut DIN 985	1
4	Masking cork	2
5	Masking cork plug	2
6	Ball bearing 628 2RS 8x24x8mm	2