



Somfy Curtain track component range.

—
2026

somfy[®]

Standard components

PULLEY GA

- Pulley assembly to put opposite the motor side
- Color: White
- Does not come with hooks
- Unit weight: 82 g



Ref. 1 780 897

SMALL PULLEY GA

- Pulley assembly to put opposite the motor side
- Color: White & black
- Does not come with hooks



Black

Ref. 9 026 927

White

Ref. 1 782 318



DRIVE PULLEY GA

- Pulley assembly to use on the motor side
- Color: White & black
- Does not come with hooks
- Unit weight: 73 g



Black

Ref. 9 026 933

White

Ref. 1 780 945



10 mm HIGH PERFORMANCE 60 m ROLL GA

- Roll of 60 m reel, 10 mm black high performance belt
- Approx. 2 times the length of the track is necessary
- Can be used on all track configurations & shape including ripple curtain to the maximum weight capacity of somfy curtain motors



Ref. 1 782 084

RAIL 5 m BY 4 GA

- P5 m long track aluminium profile
- Color: White
- Delivered in a box with 4 rails



Ref. 1 781 379

HEAVY DUTY MASTER CARRIER GA


- Heavy Duty & quiet one piece non articulating master carrier
- Can be used on all track configurations & shape including ripple curtain to the maximum weight capacity of somfy curtain motors



Ref. 1 781 344

RAIL 5.8 m BY 4 GA

- Non painted rail must be painted before use
- 5,8 m long track aluminium profile
- Color: Non painted and black
- Delivered in a box with 4 rails



Black

Ref. 9 025 837

Non painted

Ref. 1 782 562



PULLEY COVER GA

- Spare cover to Pulley GA ref. 1 780 897
- Can be used also with Motor Pulley GA



Black

Ref. 9 026 931

White

Ref. 1 780 898



DRIVE PULLEY GA2

- Pully for Glydea2 Ultra, enable 3 different angles for motor installation
- Color: White
- Does not come with hooks
- Unit weight: 77 g



Ref. 9 029 481

DRIVE PULLEY ADAPTER GA2

- Enable the use of Glydea2 Ultra motor on previous Drive Pulley ref. 1 780 945)
- Color: White
- Unit weight: 22.5 g



Ref. 9 029 482

Classic accessoires

ROTATING EYE RUNNER GA

- Runner mounted on wheels with rotating eyelet
- Can not be used with ripplefold
- Width: 14 mm / Max load: 1.5 kg
- Qty: typical 10 per meter
- Color: White
- Unit weight: 3.2 g



Ref. 1 780 892

HEAVY DUTY STRAIGHT ARM GA

- Stainless steel arm to be optionally screwed on the heavy duty master carrier of two way tracks. Allows to hang curtain with pleates with 3 pitch
- Unit weight: 29 g



Black

Ref. 9 026 936

Steel

Ref. 1 781 416



MOTOR HOOK GA

- Plastic hook to hang the curtain on the pulleys. Quantity needed is minimum 1 for one way tracks & 2 for two way tracks. More might be needed
- Color: White & black



Black

Ref. 9 026 928

White

Ref. 1 780 895



HEAVY DUTY RAIL JOINT GA

- Stronger piece to link two rails



Ref. 1 782 316

HIGHT PERFORMANCE ROTATING EYE RUNNER

- Runner mounted on wheels with rotating eyelet
- Can not be used with ripplefold
- Wheel shape make it quieter
- Qty: typical 10 per meter
- Color: White & black
- Unit weight: 3.2 g



Black

Ref. 9 026 932

White

Ref. 1 781 415



HEAVY DUTY OVERLAP ARM KIT GA

- Stainless steel overlap arm with roller wheel to be used on the heavy duty master carrier on one way tracks or two way system when additional blackout is needed
- Color: Steel & black



Black

Ref. 9 026 937

Steel

Ref. 1 781 417



MOTOR HOOK GA2

- 1 for 2 the end hook works for both hook and button solutions
- Color: White
- Unit weight: 1 g



Ref. 9 029 480

Ripplefold accessoires

RIPPLE RUNNER 1 7/8 GA

- Runner mounted on wheels for 120% fullness ripple curtains. Supplied in a roll of 500 runners. Cord already snapped on the runner body. 500 snap penpands supplied in a different bag
- Width 14 mm / Max. load: 1.5 kg
- Qty usually 21/m



Ref. 1 780 901

Non stock

RIPPLE RUNNER 2 1/8 GA

- Runner mounted on wheels for 100% fullness ripple curtains. Supplied in a roll of 500 runners. Cord already snapped on the runner body. 500 snap penpands supplied in a different bag
- Width 14 mm / Max. load: 1.5 kg
- Qty usually 19/m



Ref. 1 780 902

Non stock

RIPPLE RUNNER 2 3/8 GA

- Runner mounted on wheels for 80% fullness ripple curtains. Supplied in a roll of 500 runners. Cord already snapped on the runner body. 500 snap penpands supplied in a different bag
- Width 14 mm / Max. load: 1.5 kg
- Qty usually 17/m



Ref. 1 780 903

Non stock

RIPPLE FOLD RUNNER FIXING HOLDER

- Allows simple connection of Ripple fold runner to Master Carrier
- 30pcs/box



Ref. 9 027 657

RIPPLE ONE WAY BUTT ARM GA

- Steel arms kit



Ref. 1 782 319

SMALL RIPPLE OVERLAP ARM GA KIT

- Stainless steel overlap arm with roller wheel to be used with the heavy duty master carrier on two way ripple and classic curtain with overlap solution (for better curtain look)



Ref. 1 782 320

SMALL RIPPLE UNDERLAP ARM GA KIT

- Stainless steel underlap arm with roller wheel to be used with the heavy duty master carrier on two way ripple and classic curtain with overlap solution (for better curtain look)
- Color: Black & steel



Black

Ref. 9 026 935

Steel

Ref. 1 782 321

90 DEGREE MOTOR ADAPTOR

- Compatible with Glydea and Movelete pulley, provides for 90 degree positioning of the motor, enabling consistent fabric fold



Ref. 9 027 179

RIPPLE MOTOR HOOK GA

- Specific plastic hook with a female snaps to use for ripple curtains
- Color: White



Ref. 1 780 905

Non stock

ROTATING RIPPLE EYELET RUNNER 60 mm G

- Runner mounted on wheels for ripple curtains. Supplied in a roll of 500 runners. Cord is already snapped on the runner body. 500 rotating runner eyelet supplied in a different bag
- No need to use snap tape



Ref. 1 782 310

ROTATING RIPPLE EYELET RUNNER 80 mm GA

- Runner mounted on wheels for ripple curtains. Supplied in a roll of 500 runners. Cord is already snapped on the runner body. 500 rotating runner eyelet supplied in a different bag
- No need to use snap tape
- Color: Black & white



Black

Ref 9 026 934

White

Ref. 1 782 848

RIPPLE SNAP TAPE 91 M ROLL

- Ripple snap tape 4 1/4 (108 mm) reel of 91 m



Ref. 1 782 301

Non stock

Ripplefold accessoires

RIPPLE ARM ADJUSTABLE KITS

- Provides consistent fabric fold for Ripplefold applications

Ref. 9 027 045



RIPPLE STRAIGHT ARM

- Stainless steel arm to be screwed on the heavy duty master carrier on two way track when a ripple curtain with overlap solution is needed

Ref. 1 780 946



RIPPLE OVERLAP ARM KIT

- Stainless steel overlap with roller wheel to be used with the heavy duty master carrier on one way ripple curtain with overlap

Ref. 1 780 947



RIPPLE BUT ARM KIT

- Steel arm kit to be used with master carrier on a 2-way track
- Two kits are needed for a 2-way track
- Ensures a complete aesthetic curtain finish for a 2-way opening

Ref. 1 780 953



Brackets

SWIVEL CEILING BRACKET GA

- Swivel ceiling bracket
- Minimized light gap (2 mm)
- Color: Black & zinc plated
- Minimum qty necessary 2.5/m
- Unit weight: 12.5 g

Black

Ref. 9 026 929

Zinc plated

Ref. 1 780 906



ADJUSTABLE WALL MOUNT BRACKET GA

- Wall mount angle bracket with minimum 100 mm projection & 34 mm extension capability
- Can be used in combination with ceiling brackets Ref. 1 780 906, 9 026 929 & 1 780 907. Supplied with the screws to fix one ceiling brackets
- No ceiling bracket supplied
- Color: Black & white (no plastic cover in black)

Black

Ref. 9 026 930

White

Ref. 1 780 909



CEILING FIXING PLATE

- Ceiling bracket allows for easy positioning & fix the track on the ceiling
- Color: White
- Minimum qty necessary 0.5 per meter
- Unit weight: 20 g

Ref. 1 782 789



DOUBLE ADJUSTABLE WALL MOUNT BRACKET GA

- Wall mount angle bracket with minimum 100 mm projection & 34 mm extension capability
- Can be used in combination with ceiling brackets Ref. 1 780 906 & 1 780 907. Supplied with the screws to fix one ceiling brackets
- No ceiling bracket supplied

Ref. 1 780 910



ONE TOUCH CEILING BRACKET GA

- Ceiling bracket allows for easy positioning of the fixing holes & snap on mounting of the track
- Color: White
- Minimum qty necessary 2.5/m
- Unit weight: 20 g

Ref. 1 780 907



Silent accessoires

SILENT MASTER CARRIER

- Silent master carrier
- Can be used on all track configurations & shape including ripple curtain



Ref. 1 782 922

SILENT ROTATING EYE RUNNER

- Runner mounted on wheels with rotating eyelet
- Width: 14 mm / Max load: 1.5 kg
- Qty: typical 10 per meter
- Color: White



Ref. 1 782 921

RIPPLE RUNNER W/EYELET 80 SILENT

- Runner mounted on wheels for ripple curtains. Supplied in a roll of 250 runners. Cord is already snapped on the runner body. 250 rotating runner eyelet supplied in a different bag
- No need to use snap tape



Ref. 9 027 590

RIPPLE RUNNER W/EYELET 60 SILENT

- Runner mounted on wheels for ripple curtains. Supplied in a roll of 250 runners. Cord is already snapped on the runner body. 250 rotating runner eyelet supplied in a different bag
- No need to use snap tape



Ref. 9 027 591

RIPPLE RUNNER 2 3/8" SILENT

- Runner mounted on wheels for 80% fullness ripple curtains. Supplied in a roll of 250 runners. Cord already snapped on the runner body. 250 snap penpands supplied in a different bag
- Width 14 mm / Max. load: 1.5 kg
- Qty usually 17/m



Ref. 9 027 592

Non stock

RIPPLE RUNNER 2 1/8" SILENT

- Runner mounted on wheels for 100% fullness ripple curtains. Supplied in a roll of 250 runners. Cord already snapped on the runner body. 250 snap penpands supplied in a different bag
- Width 14 mm / Max. load: 1.5 kg
- Qty usually 19/m



Ref. 9 027 593

RIPPLE RUNNER 1 7/8" SILENT

- Runner mounted on wheels for 120% fullness ripple curtains. Supplied in a roll of 250 runners. Cord already snapped on the runner body. 250 snap penpands supplied in a different bag
- Width 14 mm / Max. load: 1.5 kg
- Qty usually 21/m




Ref. 9 027 594

Non stock

Bent rails from logistics

GA BENT RAIL


- 750 × 750 mm
- R: 300 mm
- A: 45°



Ref. 1 782 258

GA BENT RAIL

- 900 × 900 mm
- R: 300 mm
- A: 90°




Ref. 1 782 259

Spare parts, electrical accessoires, tools

TOP MOUNT KIT GA


- Kit of accessories to allows the Up side Down installation



Ref. 1 780 908

PULLEY STOPPER GA

- Spare pulley stopper assembly as a kit
- Unit weight: 5 g



Ref. 1 780 954

PULLEY COVER GA

- PSpare pulley cover
- Color: White & black
- Unit weight: 9.5 g



Black

Ref. 9 026 931


White

Ref. 1 780 898



DCT 2.5 m CABLE

- Wire, 2.5 m cable equiped with RJ12 plug to use during installation in combination with the DCT tool



Ref. 9 015 443

ROTATING RUNNER EYLET GA

- Standard runner eylet spare parts



Ref. 1 781 913



Make the move

About Somfy

For more than 50 years, Somfy has been driving durable positive motion as a pioneer in window and door automation. Developed with comfort, ease of use, security and sustainability in mind, our seamless and connected solutions are designed to help people make the move to living spaces impactful for humans and with a reduced impact on nature.

A BRAND OF **SOMFY** GROUP

Somfy Danmark
Dosseringen 20-B
5300 Kerteminde
www.somfypro.dk

Somfy Finland
Ruosilankuja 3 B
FIN - 00390 Helsinki
www.somfypro.fi

Somfy Norway AS
Valhallavegen 10C
2060 Gardermoen
www.somfypro.no

Somfy Sweden AB
Arenagatan 20
215 33 Malmö
www.somfypro.se

Somfy Ltd
Unit 7, Lancaster Way
Airport West - Yeadon Leeds
West Yorkshire - LS19 7ZA
www.somfypro.co.uk

NV Somfy SA (BeLux)
Ikaroslaan 21
B-1930 Zaventem
www.somfypro.be

Somfy Nederland B.V.
Jacobus Ahrendlaan 1
2132 LP Hoofddorp
www.somfypro.nl